ASTRONOMY AND ASTROPHYSICS

A European Journal

Volume 316 1996

Published by Springer on behalf of the Board of Directors

Astronomy and Astrophysics A European Journal

Board of Directors

Chairman:
A. Maeder (Switzerland)

Vice Chairman:
A.G. Hearn (The Netherlands)

D. Alloin (France)
M. Arnould (Belgium)
R. Canal (Spain)
G. di Cocco (Italy)
M. Crézé (France)
J. Einasto (Estonia)
R. Giacconi (ESO)
P. Harmanec (Czech Republic)
W.H. Kegel (Germany)
G. Kovacs (Hungary)
K. Mattila (Finland)
P.E. Nissen (Denmark)
J. Pfleiderer (Austria)
Aa. Sandqvist (Sweden)
A. Stawikowski (Poland)
J. Ventura (Greece)
R. Wielen (Germany)
J. Zverko (Slovak Republic)

Editors-in-Chief

J. Lequeux
Astronomy and Astrophysics
Editorial Office
Observatoire de Paris
61 avenue de l'Observatoire
F-75014 Paris
France

Tel. (33-1) 43290541
Fax (33-1) 43290557
e-mail: aanda@mesiob.obspm.fr (internet)
mesioa:: aanda (span)

H.J. Habing
Astronomy and Astrophysics
Editorial Office
Leiden Observatory
P.O. Box 9513
2300 RA Leiden
The Netherlands

Tel. (31) (0) 71-5275916
Fax (31) (0) 71-5275803
e-mail: aanda@strw.leidenuniv.nl

Letter Editor

S.R. Pottasch
Kapteyn Astronomical Institute
P.O. Box 800
9700 AV Groningen
The Netherlands

Tel. (31-50) 3634093
Telefax (31-50) 3636100
e-mail: aalet@astro.rug.nl

Editorial secretaries

Miss B. Perche
Mrs. M. Rougeot

Mrs. B. Smit
Mrs. M. Wisse

Mrs. J. Zwegers-Morris

The exclusive copyright © for all languages and countries, including the right for photomechanical and any other reproduction, also in microform, is vested in European Southern Observatory (ESO).
The use of registered names, trademarks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

Springer 1996
Printed in Germany
Printing and bookbinding: Druckhaus Beltz, 69494 Hemsbach

Volume 316 1996

Contents

Letters to the Editor

Carbon stars in LMC clusters revisited
Marigo P., Girardi L., Chiosi C. L1

Warping modes in the maser disc of NGC 4258
Okazaki A.T. L5

ASCA observation of the infrared quasar IRAS 13349+2438
Brinkmann W., Kawai N., Ogasaka Y., Siebert J. L9

Weak headed quasars
Krishna G., Wiita P.J., Hooda J.S. L13

Cycle times and magnetic amplitudes in nonlinear 1D $\alpha^2\Omega$-dynamos
Rüdiger G., Arlt R. L17

First diffraction-limited speckle masking observations of the Mira variable R Cas with the 6 m SAO telescope
Weigelt G., Balega Y., Hofmann K.-H., Scholz M. L21

Observation and model calculations of sunspot ring structure at 8.46 GHz
Gopalswamy N., Raulin J.P., Kundu M.R., Hildebrandt J., Krüger A., Hofmann A. L25

Cosmology

V/V_{max} statistics and neo-classic cosmological tests
Van Waerbeke L., Mathez G., Mellier Y., Bonnet H., Lachièze-Rey M. 1

Pure luminosity evolution hypothesis for QSOs: from luminosity functions to simulated catalogues
Mathez G., Van Waerbeke L., Mellier Y., Bonnet H., Lachièze-Rey M. 19

Optically identified QSO absorption systems and galaxy evolution
Lindner U., Fritze-von Alvensleben U., Fricke K.J. 123

Extragalactic astronomy

An emission line region associated with 3C 273
Hippelein H., Meisenheimer K., Röser H.-J. 29

High resolution observations of the QSO BR 1202–0725: Deuterium and ionic abundances at redshifts above $z = 4$
Wampler E.J., Williger G.M., Baldwin J.A., Carswell R.F., Hazard C., McMahon R.G. 33

The symbiotic system in quasars: black hole, accretion disk and jet
Donea A.-C., Biermann P.L. 43

Collimation of astrophysical jets characterized by field configuration
Yao Q., Zhou Y. 53

X-ray observations of five galaxy-quasar associations
Arp H. 57

Galactic structure and dynamics

The effects of galactic disk oscillations on the motion of the stars confined to the axis of rotating symmetry
Fu Y.-N., Sun Y.-S. 79

The stellar content of soft X-ray surveys. I. An age dependent numerical model
Guillout P., Haywood M., Motch C., Robin A.C. 89

Stellar clusters and associations

The embedded stellar population in northern NGC 6334
Tapia M., Persi P., Roth M. 102

Formation, structure and evolution of stars

On the pulse-period evolution of the X-ray pulsar 1E 2259+586
Pandey U.S. 111

Branches and loops in the X-ray colour-colour diagram of Cygnus X-3
Smit J.M., van der Klis M. 115

The hydrodynamic evolution of circumstellar gas around massive stars. II. The impact of the time sequence O star → RSG → WR star
García-Segura G., Langer N., Mac Low M.-M. 133

Catalogue and luminosity function of white dwarfs detected in the ROSAT all-sky survey
Fleming T.A., Snowden S.L., Pfeffermann E., Briel U., Greiner J. 147

The chemical composition of the s-Cepheids. III
Kovtyukh V.V., Andrievsky S.M., Usenko I.A., Klochkova V.G. 155

Doppler imaging of stellar surface structure. II. The weak-lined T Tauri star V 410 Tauri
Rice J.B., Strassmeier K.G. 164

Properties of the Be stars in the field of the Small Magellanic Cloud cluster NGC 330
Mazzali P.A., Lennon D.J., Pasian F., Marconi G., Baade D., Castellani V. 173

Diffuse matter in space (including H II regions and planetary nebulae)

CO $J = 1 \Rightarrow 0$ mapping of the cometary nebula 1548c27
Phillips J.P., Mampaso A. 182

Spatial distribution and nature of H_2O masers in Messier 82
Baudry A., Brouillet N. 188

The Sun

Evidence of K_{2v} grains being a non-magnetic phenomenon
Remling B., Deubner F.-L., Steffens S. 196

Filament disturbance and associated magnetic changes in the filament environment
Wang J., Shi Z., Martin S.F. 201

Radiatively-driven downdrafts and redshifts in transition region lines. I. Reference model
Reale F., Peres G., Serio S. 215

The magnetic structure of pores and sunspots derived from Advanced Stokes Polarimeter data
Keppens R., Martínez Pillet V. 229

The solar system

Multiwavelength radio observations of the encounter between Jupiter and comet Shoemaker-Levy 9
Venturi T., Grueff G., Trigilio C., Tomassetti G., Bortolotti C., Cosmovici C., Maccaferri A., Maccaferri G., Montebugnoli S., Orfei A., Padrielli L., Roma M., Tuccari G., Tugnoli M., Umana G. 243

Origin and evolution of the Vesta asteroid family
Marzari F., Cellino A., Davis D.R., Farinella P., Zappalà V., Vanzani V. 248

Polarimetric CCD imaging of comet 47 P/Ashbrook–Jackson and variability of polarization in the inner coma of comets
Renard J.-B., Hadamcik E., Levasseur-Regourd A.-C. 263

Ulysses at high heliographic latitudes: an introduction
Marsden R.G., Smith E.J., Cooper J.F., Tranquille C. 279

The heliospheric magnetic field at solar minimum: Ulysses observations from pole to pole
Forsyth R.J., Balogh A., Horbury T.S., Erdös G., Smith E.J., Burton M.E. 287

Ulysses plasma parameters: latitudinal, radial, and temporal variations
Goldstein B.E., Neugebauer M., Phillips J.L., Bame S., Gosling J.T., McComas D., Wang Y.-M., Sheeley N.R., Suess S.T. 296

Latitudinal dependence of the radial IMF component – interplanetary imprint
Suess S.T., Smith E.J., Phillips J., Goldstein B.E., Nerney S. 304

Ulysses out-of-ecliptic observations of interplanetary shocks
Burton M.E., Smith E.J., Balogh A., Forsyth R.J., Bame S.J., Phillips J.L., Goldstein B.E. 313

The quasi-parallel shock wave detected by Ulysses on day 92:109
González-Esparza J.A., Smith E.J., Balogh A., Phillips J.L. 323

The rate of turbulent evolution over the Sun's poles
Horbury T.S., Balogh A., Forsyth R.J., Smith E.J. 333

Symmetry in discontinuity properties at the north and south heliographic poles: Ulysses
Tsurutani B.T., Ho C.M., Sakurai R., Goldstein B.E., Balogh A., Phillips J.L. 342

Interplanetary discontinuities in corotating streams and their interaction regions
Ho C.M., Tsurutani B.T., Sakurai R., Goldstein B.E., Balogh A., Phillips J.L. 346

Variation of electron-strahl width in the high-speed solar wind: Ulysses observations
Hammond C.M., Feldman W.C., McComas D.J., Phillips J.L., Forsyth R.J. 350

Constraints on high-speed solar wind structure near its coronal base: a Ulysses perspective
Feldman W.C., Barraclough B.L., Phillips J.L., Wang Y.-M. 355

Ulysses observations of pressure-balance structures in the polar solar wind
McComas D.J., Hoogeveen G.W., Gosling J.T., Phillips J.L., Neugebauer M., Balogh A., Forsyth R. 368

Searching for coronal plumes in Ulysses observations of the far solar wind
Poletto G., Parenti S., Noci G., Livi S., Suess S.T., Balogh A., McComas D.J. 374

A comparison of interplanetary coronal mass ejections at Ulysses with Yohkoh soft X-ray coronal events
Weiss L.A., Gosling J.T., McAllister A.H., Hundhausen A.J., Burkepile J.T., Phillips J.L., Strong K.T., Forsyth R.J. 384

Ulysses spacecraft observations of radio and plasma waves: 1991–1995
MacDowall R.J., Hess R.A., Lin N., Thejappa G., Balogh A., Phillips J.L. 396

Type III radio bursts observed by Ulysses pole to pole, and simultaneously by wind
Leblanc Y., Dulk G.A., Hoang S., Bougeret J.-L., Robinson P.A. 406

Kilometre-wave radio observations of solar type III bursts by Ulysses compared with decametre-wave observations from the Earth
Barrow C.H., Hoang S., MacDowall R.J., Lecacheux A. 413

Langmuir waves associated with discontinuities in the solar wind: a statistical study
Lin N., Kellogg P.J., MacDowall R.J., Tsurutani B.T., Ho C.M. 425

Latitude dependence of Solar Wind plasma thermal noise: Ulysses radio observations
Hoang S., Meyer-Vernet N., Issautier K., Maksimovic M., Moncuquet M. 430

Generation of plasma turbulence and radio emission at the front of interplanetary MHD shocks
Ledenev V.G. 435

Coronal radio sounding with Ulysses: solar wind electron density near 0.1 AU during the 1995 conjunction
Bird M.K., Pätzold M., Edenhofer P., Asmar S.W., McElrath T.P. 441

Coronal radio sounding with Ulysses: dual-frequency phase scintillation spectra in coronal holes and streamers
Pätzold M., Karl J., Bird M.K. 449

Low energy charged particles in the high latitude heliosphere
Lanzerotti L.J., Maclennan C.G., Armstrong T.P., Roelof E.C., Gold R.E., Decker R.B. 457

The high latitude pass of ULYSSES: energetic particle observations with EPAC
Keppler E., Drolias B., Fraenz M., Korth A., Reuss M.K., Blake B., Quenby J.J. 464

The regular structure of shock-accelerated ~40–100 keV electrons in the high latitude heliosphere
Roelof E.C., Simnett G.M., Tappin S.J. 481

A search for ^{3}He enhancements in SEP and CIR-associated events with Ulysses/HI-SCALE
Biesecker D.A. 487

Ulysses observations of open and closed magnetic field lines within a coronal mass ejection
Bothmer V., Desai M.I., Marsden R.G., Sanderson T.R., Trattner K.J., Wenzel K.-P., Gosling J.T., Balogh A., Forsyth R.J., Goldstein B.E. 493

Joint Ulysses and WIND observations of a particle event in April 1995
Buttighoffer A., Pick M., Raviart A., Hoang S., Lin R.P., Simnett G.M., Lanzerotti L.J., Bothmer V. 499

Coronal diffusion and high solar latitude recurrent energetic particle increases
Quenby J.J., Witcombe A., Drolias B., Fränz M., Keppler E. 506

Interstellar atom and pick-up ion fluxes along the Ulysses flight-path
Mall U., Fichtner H., Rucinski D. 511

Ulysses COSPIN/LET: latitudinal gradients of anomalous cosmic ray O, N and Ne
Trattner K.J., Marsden R.G., Bothmer V., Sanderson T.R., Wenzel K.-P., Klecker B., Hovestadt D. 519

Latitude variations of ~7 MeV and >300 MeV cosmic ray electron fluxes in the heliosphere: Ulysses COSPIN/KET results and implications
Ferrando P., Raviart A., Haasbroek L.J., Potgieter M.S., Dröge W., Heber B., Kunow H., Müller-Mellin R., Sierks H., Wibberenz G., Paizis C. 528

Spatial variation of >40 MeV/n nuclei fluxes observed during the Ulysses rapid latitude scan
Heber B., Dröge W., Ferrando P., Haasbroek L.J., Kunow H., Müller-Mellin R., Paizis C., Potgieter M.S., Raviart A., Wibberenz G. 538

Observations of galactic cosmic rays and the anomalous helium during Ulysses passage from the south to the north solar pole
McKibben R.B., Connell J.J., Lopate C., Simpson J.A., Zhang M. 547

Interstellar propagation of cosmic rays: analysis of the Ulysses primary and secondary elemental abundances
Du Vernois M.A., Simpson J.A., Thayer M.R. 555

Physical and chemical processes

Organometallic reactions in the gas phase: measurements of the formation and dissociation rates of organometallic complexes
Marty P., de Parseval P., Klotz A., Serra G., Boissel P. 270

Compton issue

Status of the Compton Gamma Ray Observatory
Gehrels N., Shrader C.R. C1

Key results from the Oriented Scintillation Spectrometer Experiment
Kurfess J.D. C5

COMPTEL overview: Achievements and expectations
Schönfelder V., Bennett K., Bloemen H., Diehl R., Hermsen W., Lichti G., McConnell M., Ryan J., Strong A., Winkler C. C13

EGRET overview: Achievements in the light of expectations
Fichtel C. C23

Theoretical models for gamma-ray bursts
Hartmann D.H. C31

The early days of gamma-ray astronomy
Pinkau K. C43

Pulsars as gamma-ray sources
Arons J. C49

EGRET observations of pulsars
Nolan P.L., Fierro J.M., Lin Y.C., Michelson P.F., Bertsch D.L., Dingus B.L., Esposito J.A., Fichtel C.E., Hartman R.C., Hunter S.D., von Montigny C., Mukherjee R., Ramanamurthy P.V., Thompson D.J., Kniffen D.A., Schneid E., Kanbach G., Mayer-Hasselwander H.A., Merck M. C61

Geminga in the Space Telescope Era
Caraveo P.A., Bignami G.F., Mignani R., Taff L.G. C65

ROSAT observations of gamma-ray pulsars: Vela, PSR 1706–44 and PSR 1951+31
Becker W., Trümper J. C69

Search in the COMPTEL data for MeV-emission from Geminga
Kuiper L., Hermsen W., Bennett K., Connors A., Much R., Ryan J., Schönfelder V., Strong A. C73

Timing the Geminga pulsar with EGRET data
Mattox J.R., Halpern J.P., Caraveo P.A. C77

The soft spectrum of PSR B1509–58
Chang H.-K., Chen K., Ho C. C81

A new, fast pulsar search method for sparse data
Brazier K.T.S., Kanbach G. C85

EGRET pulsar upper limits
Nel H.I., Arzoumanian Z., Bailes M., Brazier K.T.S., D'Amico N., Esposito J.A., Fichtel C.E., Fierro J.M., Hunter S.D., Johnston S., Kanbach G., Kaspi V.M., Kniffen D.A., Lyne A.G., Lin Y.C., Manchester R.N., Mattox J.R., Mayer-Hasselwander H.A., Merck M., Michelson P.F., Nice D.J., Nolan P.L., Ramanamurthy P.V., Taylor J.H., Thompson D.J., Westbrook C. C89

A search for radio-quiet gamma-ray pulsars in the EGRET data
Mattox J.R., Koh D.T., Lamb R.C., Macomb D.J., Prince T.A., Ray P.S. C95

Statistics of γ-ray pulsars
Sturner S.J., Dermer C.D. C99

Isolated neutron stars, their γ-ray efficiencies and EGRET observations
Goldoni P., Musso C. C103

Gamma-ray pulsars: Extended polar cap cascades from nearly aligned rotators
Daugherty J.K., Harding A.K. C107

Photon splitting in gamma-ray pulsars
Harding A.K., Baring M.G., Gonthier P.L. C111

PSR B0656+14 in relation to other high-energy gamma-ray pulsars
Ramanamurthy P.V., Fichtel C.E., Harding A.K., Kniffen D.A., Sreekumar P., Thompson D.J. C115

Gamma-ray observations of GRO J1655–40
Kroeger R.A., Strickman M.S., Grove J.E., Kaaret P., Ford E., Harmon B.A., McConnell M. C117

BATSE observations of hard X-ray emission from X-ray bursters. Presentation of a CGRO/BATSE investigation and first results
Barret D., Grindlay J.E., Bloser P.F., Zhang S.N., Fishman G.J., Harmon B.A., Paciesas W.S., Ford E., Kaaret P., Tavani M. C121

Observations and physics of galactic superluminal sources
Levinson A., Blandford R. C129

Hard X-ray emission from X-ray bursters
Tavani M., Liang E. C133

Deep search for celestial hard X-ray emission by earth occultation with BATSE/CGRO
Zhang S.N., Harmon B.A., Paciesas W.S., Fishman G.J. C137

Low-frequency quasi-periodic oscillations in the X-ray transient GRO J1719–24
van der Hooft F., Kouveliotou C., van Paradijs J., Rubin B.C., Crary D.J., Finger M.H., Harmon B.A., van der Klis M., Lewin W.H.G., Norris J.P., Fishman G.J. C141

BATSE survey for faint transients and black hole candidates
Grindlay J.E., Barret D., Bloser P.F., Zhang S.N., Fishman G.J., Harmon B.A., Paciesas W.S. C145

A search for galactic black hole candidates at MeV energies – preliminary results
McConnell M., Bennett K., Bloemen H., Collmar W., van Dijk R., Hermsen W., Much R., Ryan J., Schönfelder V., Steinle H., Strong A. C149

1100 days of BATSE observations of Cygnus X-1
Crary D.J., Kouveliotou C., van Paradijs J., van der Hooft F., Scott D.M., Zhang S.N., Rubin B.C., Finger M.H., Harmon B.A., van der Klis M., Lewin W.H.G. C153

Gamma-ray observations of Cygnus X-1 with OSSE
Phlips B.F., Jung G.V., Leising M.D., Grove J.E., Johnson W.N., Kinzer R.L., Kroeger R.A., Kurfess J.D., Strickman M.S., Grabelsky D.A., Matz S.M., Purcell W.R., Ulmer M.P., McNaron-Brown K. C155

The broad-band high-energy spectrum of Cyg X-1
Wilms J., Dove J.B., Maisack M., Staubert R. C159

Observational signature of the ‚boundary layer' of galactic and extragalactic black holes
Chakrabarti S.K., Titarchuk L., Kazanas D., Ebisawa K. C163

Non-thermal high energy emissions and stochastic particle acceleration in galactic black holes
Li H., Kusunose M., Liang E.P. C167

Spherical accretion onto neutron stars and black holes
Titarchuk L., Mastichiadis A., Kylafis N.D. C171

Absorption features in the hard X-ray spectra of PSR A 0535+26 and Vela X-1
Kretschmar P., Pan H.C., Kendziorra E., Kunz M., Maisack M., Staubert R., Pietsch W., Trümper J., Efremov V., Sunyaev R. C175

Pulse shape analysis and spectroscopy of A 0535+26 during its 1994 outburst
Maisack M., Grove J.E., Johnson W.N., Jung G.V., Kendziorra E., Kinzer R.L., Kretschmar P., Kurfess J.D., Starr C.H., Staubert R., Strickman M.S. C179

Cylotron line models for the X-ray pulsar A 0535+26
Araya R.A., Harding A.K. C183

Models of quiescent black hole and neutron star soft X-ray transients
Yi I., Narayan R., Barret D., McClintock J.E. C187

BATSE observations of the ultra-soft X-ray transient 4U 1630–47
Bloser P.F., Barret D., Grindlay J.E., Zhang S.N., Harmon B.A., Fishman G.J., Paciesas W.S. C191

Discovery of hard X-ray outbursts from the soft X-ray transient Aquila X-1
Harmon B.A., Wilson C.A., Tavani M., Zhang S.N., Rubin B.C., Paciesas W.S., Ford E.C., Kaaret P. C197

On galactic superluminal transients
Tavani M. C201

Observations of the unusual X-ray source GRS 1915+105 in Aquila
Paciesas W.S., Deal K.J., Harmon B.A., Zhang S.N., Wilson C.A., Fishman G.J. C205

Reappearance of the X-ray binary pulsar 2S 1417–624
Finger M.H., Wilson R.B., Chakrabarty D. C209

Multiwavelength observations of the X-ray binary LSI +61° 303
Steele I.A., Coe M.J., Fabregat J., Martí J., Paredes J.M., Strickman M., Tavani M. C213

OSSE detection of the low mass X-ray binary GS 1826–24
Strickman M., Skibo J., Purcell W., Barret D., Motch C. C217

High-energy emission from the PSR B1259–63 system near periastron
Tavani M., Grove J.E., Purcell W., Hermsen W., Kuiper L., Kaaret P., Ford E., Wilson R.B., Finger M., Harmon B.A., Zhang S.N., Mattox J., Thompson D., Arons J. C221

Periodic transient hard X-ray emission from GRO 1849–03
Zhang S.N., Harmon B.A., Paciesas W.S., Fishman G.J., Finger M.H., Robinson C.R., Rubin B.C., Grindlay J.E., Barret D., Tavani M., Kaaret P., Bloser P., Ford E. C227

Hercules X-1: Pulse width as a function of 35^d phase
Kunz M. C231

OSSE observations of Hercules X-1 during the Main-On state
Kunz M., Kendziorra E., Kretschmar P., Maisack M., Staubert R., Ulmer M.P., Kurfess J.D., Wilson R.B. C233

Hard X-ray and IR observations of Cygnus X-3
Matz S.M., Fender R.P., Bell Burnell S.J., Grove J.E., Strickman M.S. C235

Two ROSAT HRI observations of GRO J1655–40
Greiner J. C239

Monitoring the gamma-ray source 2CG 135+1 and the radio star LSI +61° 303
Tavani M., Hermsen W., van Dijk R., Strickman M., Zhang S.N., Foster R.S., Ray P.S., Mattox J., Ulmer M., Purcell W., Coe M. C243

A persistent hard X-ray source observed in the Terzan 1 globular cluster by the SIGMA telescope
Borrel V., Bouchet L., Jourdain E., Roques J.P., Vargas M., Goldwurm A., Denis M., Paul J., Churazov E., Gilfanov M., Finoguenov A., Sunyaev R., Dyachkov A., Khavenson N., Chulkov I., Novikov B. C249

Searches for optical counterparts of BATSE gamma-ray bursts with the Explosive Transient Camera
Krimm H.A., Vanderspek R.K., Ricker G.R. C251

New EGRET/COMPTEL studies of globular clusters
Manandhar R.P., Grindlay J.E., Thompson D.J. C255

Reprocessing of hard X-ray emission in X-ray novae
Shrader C.R., Wagner R.M., Hjellming R.M., Starrfield S.G. C261

On the ^{7}Be and ^{7}Li de-excitation lines as a possible explanation of the gamma-ray feature observed in Nova Muscæ 1991
Durouchoux P., Viaud P., Wallyn P., Mahoney W.A. C265

CGRO/OSSE observations of the X-ray burster 4U 1915–05 (XB 1916–053)
Barret D., Grindlay J.E., Strickman M., Vedrenne G. C269

BATSE observations of two X-ray bursters: 4U 1820–30 and 4U 1915–05
Bloser P.F., Barret D., Grindlay J.E., Zhang S.N., Harmon B.A., Fishman G.J., Paciesas W.S., Ford E., Kaaret P., Tavani M. C275

Low State Hard X-ray Outburst from the X-ray Burster 4U 1608–522 Observed by BATSE/CGRO
Zhang S.N., Harmon B.A., Paciesas W.S., Fishman G.J., Grindlay J.E., Barret D., Tavani M., Kaaret P., Bloser P., Ford E., Titarchuk L. C279

TGRS occultation analysis of the Galactic center region
Teegarden B.J., Cline T.L., Gehrels N., Hurley K.H., Owens A., Palmer D., Ramaty R., Seifert H. C283

Advection-dominated accretion model of Sagittarius A and other accreting black holes
Narayan R., Yi I., Mahadevan R. C287

SIGMA survey of the Galactic Center region and discovery of a hard X-ray transient
Vargas M., Goldwurm A., Denis M., Paul J., Borrel V., Roques J.P., Jourdain E., Niel M., Trudolyubov S., Churazov E., Gilfanov M., Sunyaev R., Dyachkov A., Khavenson N., Chulkov I., Bogomolov A. C291

JPL earth occultation analysis of the Galactic Center region during flaring of 1E 1740.7–2942
Wallyn P., Ling J.C., Wheaton Wm.A., Mahoney W.A., Radocinski R.G., Skelton R.T. C295

EGRET observations of X-class solar flares
Schneid E.J., Bertsch D.L., Dingus B.L., Esposito J.A., Fichtel C.E., Hartman R.C., Hunter S.D., Kanbach G., Kniffen D.A., Lin Y.C., Mayer-Hasselwander H.A., Michelson P.F., von Montigny C., Mukherjee R., Nolan P.L., Sreekumar P., Thompson D.J. C299

Stellar nucleosynthesis and γ-ray line astronomy
Prantzos N. C303

The COMPTEL 1.809 MeV all-sky image
Oberlack U., Bennett K., Bloemen H., Diehl R., Dupraz C., Hermsen W., Knödlseder J., Morris D., Schönfelder V., Strong A., Winkler C. C311

On the spiral arm interpretation of COMPTEL ^{26}Al map features
Chen W., Gehrels N., Diehl R., Hartmann D. C315

OSSE observations of positron annihilation in the Galactic plane
Kinzer R.L., Purcell W.R., Johnson W.N., Kurfess J.D., Jung G., Skibo J. C317

Modelling the 1.8 MeV sky: Tracers of massive star nucleosynthesis
Diehl R., Bennett K., Dupraz C., Knödlseder J., Lichti G., Morris D., Oberlack U., Ryan J., Schönfelder V., Strong A., von Ballmoos P., Winkler C., Chen W., Hartmann D., Prantzos N. C321

1.8 MeV emission from the Carina region
Knödlseder J., Bennett K., Bloemen H., Diehl R., Hermsen W., Oberlack U., Ryan J., Schönfelder V. C327

Radial velocity map and line profiles of ^{26}Al emission from Galactic rotation
Gehrels N., Chen W. C331

Modelling the 1.8 MeV sky: Tests for spiral structure
Knödlseder J., Prantzos N., Bennett K., Bloemen H., Diehl R., Hermsen W., Oberlack U., Ryan J., Schönfelder V. C335

Search for 1.809 MeV emission of ^{26}Al from nearby supernova remnants using COMPTEL
Knödlseder J., Oberlack U., Diehl R., Chen W., Gehrels N. C339

Search for nucleosynthetic and cosmic-ray induced γ-ray lines from the Galactic plane
Harris M.J., Purcell W.R., Grabelsky D.A., Johnson W.N., Jung G.V., Kinzer R.L., Kurfess J.D., McNaron-Brown K., Strickman M.S., Ulmer M.P. C343

Possible sites of nuclear line emission from massive OB associations
Higdon J.C., Lingenfelter R.E. C349

COMPTEL upper limits on gamma-ray line emission from supernova 1993J
Lichti G.G., Iyudin A., Bennett K., Collmar W., Diehl R., Hermsen W., Morris D., Ryan J., Schönfelder V., Steinle H., Strong A.W., van Sant T., Winkler C. C353

CGRO/OSSE observations of the Cassiopeia A SNR
The L.-S., Leising M.D., Kurfess J.D., Johnson W.N., Hartmann D.H., Gehrels N., Grove J.E., Purcell W.R. C357

BATSE observations of galactic positron-annihilation radiation
Smith D.M., Leventhal M., Cavallo R., Gehrels N., Tueller J., Fishman G. C361

Characteristic lines of positronium from sources of annihilation line
Burdyuzha V., Kauts V., Wallyn P. C365

High-resolution OSSE scanning observations of the galactic center 511 keV source
Tueller J., Gehrels N., Leventhal M., Smith D.M., Purcell W.R. C369

Interstellar gamma-ray lines from low energy cosmic ray interactions
Ramaty R. C373

Diffuse galactic hard X-ray and low-energy gamma-ray continuum
Strong A.W., Bennett K., Bloemen H., Diehl R., Hermsen W., Purcell W., Schönfelder V., Stacy J.G., Winkler C., Youssefi G. C381

Diffuse Galactic Gamma-Ray Continuum
Purcell W.R., Bouchet L., Johnson W.N., Jung G., Kinzer R.L., Kurfess J.D., Mandrou P., Roques J.P., Skibo J.G., Vedrenne G. C389

Diffuse hard X-ray emission from the Galactic ridge
Yamasaki N.Y., Ohashi T., Takahara F., Yamauchi S., Kamae T., Kaneda H., Makishima K., Koyama K. C393

The gradient of cosmic ray protons in the outer Galaxy
Erlykin A.D., Wolfendale A.W., Zhang L., Zielinska M. C397

Implications of the diffuse galactic continuum
Skibo J.G., Ramaty R., Purcell W.R. C403

Spectral changes for cosmic ray protons in the local interstellar medium
Fatoohi L.J., Giller M., Wdowczyk J., Wolfendale A.W., Zhang L. C407

Soft diffuse galactic γ-ray continuum generated by CR electrons
Dobrovolskii S.I., Dogiel V.A. C411

The carbon-monoxide to molecular-hydrogen conversion factor revisited
Erlykin A.D., Fatemi S.J., Wolfendale A.W., Zhang L. C415

Soft X-rays and cosmic gamma-rays
Osborne J.L., Wolfendale A.W., Zhang L. C419

Possible detection of π^0-decay γ-ray emission from Cyg OB2 by EGRET
Chen W., White R.L., Bertsch D. C423

Cosmic ray nonlinear processes in gamma-ray sources
Dorman L.I. C427

Revisiting the galactic supernova remnant distribution
Case G., Bhattacharya D. C437

The Crab and Vela gamma-ray nebulae
de Jager O.C., Harding A.K., Sreekumar P., Strickman M. C441

Are supernova remnants sources of >100 MeV γ-rays?
Sturner S.J., Dermer C.D., Mattox J.R. C445

OSSE detection of the Vela synchrotron nebula
Strickman M., de Jager O., Harding A. C449

On the fluxes of inverse Compton gamma-rays expected from the Crab Nebula
Atoyan A.M., Aharonian F.A. C453

An alternative view of the peculiar COMPTEL source in Orion
Pohl M. C457

Characteristics of galactic gamma-ray sources in the second EGRET catalog
Kanbach G., Bertsch D.L., Dingus B.L., Esposito J.A., Fichtel C.E., Fierro J.M., Hartman R.C., Hunter S.D., Kniffen D.A., Lin Y.C., Mattox J.R., Mayer-Hasselwander H.A., Merck M., Michelson P.F., von Montigny C., Mukherjee R., Nolan P.L., Pohl M., Schneid E.J., Sreekumar P., Thompson D.J., Willis T. C461

Study of the spectral characteristics of unidentified galactic EGRET sources. Are they pulsar-like?
Merck M., Bertsch D.L., Dingus B.L., Esposito J.A., Fichtel C.E., Fierro J.M., Hartman R.C., Hunter S.D., Kanbach G., Kniffen D.A., Lin Y.C., Mayer-Hasselwander H.A., Michelson P.F., von Montigny C., Mücke A., Mukherjee R., Nolan P.L., Pohl M., Schneid E., Sreekumar P., Thompson D.J., Willis T.D. C465

Extending the spectral coverage of unidentified galactic plane gamma-ray sources
Macomb D.J., Shrader C.R. C471

Models of X-ray and γ-ray emission from Seyfert galaxies
Svensson R. C475

Models of high-energy emission from active galactic nuclei
Schlickeiser R. C481

The relationship between gamma emission and radio flares in AGN
Valtaoja E., Teräsranta H. C491

Fast flares of blazars during gamma-ray observations. Optical – gamma-ray correlations
Wagner S.J. C495

EGRET observations of BL Lacertae objects with redshifts below 0.2
Lin Y.C., Bertsch D.L., Dingus B.L., Esposito J.A., Fichtel C.E., Hartman R.C., Hunter S.D., Kanbach G., Kniffen D.A., Mattox J.R., Mayer-Hasselwander H.A., Michelson P.F., von Montigny C., Mukherjee R., Nolan P.L., Schneid E.J., Sreekumar P., Thompson D.J., Willis T.D. C499

Diagnostics of Inverse-Compton models for the γ-ray emission of 3C 279 and Mkn 421
Ghisellini G., Maraschi L., Dondi L. C503

CGRO observations of the MeV-bright blazars PKS 0208–512 and GRO J0516–609
Blom J.J., Bennett K., Bloemen H., Collmar W., Diehl R., Hermsen W., Iyudin A.F., Lichti G.G., Morris D., Schönfelder V., Stacy J.G., Steinle H., Strong A.W., Williams O.R., Winkler C. C507

Simultaneous image and spectral analyses of 3C 273 and 3C 279 with the COMPTEL instrument
Dixon D.D., Zych A.D., Collmar W. C511

COMPTEL observations of the Virgo region
Collmar W., Bennett K., Bloemen H., Blom J.J., Hermsen W., Lichti G.G., McConnell M., Morris D., Schönfelder V., Stacy J.G., Steinle H., Strong A.W., Williams O.R. C515

Preliminary results from EGRET phase 3 observations of the Virgo region
von Montigny C., Bertsch D.L., Dingus B.L., Esposito J.A., Fichtel C.E., Hartman R.C., Hunter S.D., Kanbach G., Kniffen D.A., Lin Y.C., Merck M., Mayer-Hasselwander H.A., Mukherjee R., Michelson P.F., Nolan P.L., Piner G., Schneid E., Thompson D.J. C519

A CGRO survey of radio quasars near the South Galactic Pole: First results
Vestrand W.T., Stacy J.G., Sreekumar P. C521

Temporal variability of high-energy emission from jet sources
Mause H., Dermer C.D., Schlickeiser R. C525

Radio observations of the gamma-ray blazar Q 0528+134
Pohl M., Reich W., Schlickeiser R., Reich P., Ungerechts H. C529

CGRO, radio and optical observations of the quasar NRAO 140
Maisack M., Staubert R., Otterbein K., Witzel A., Wagner S.J., Heines A. C533

Synchrotron self-Compton interpretation of multiwaveband observations of gamma-ray bright blazars
Marscher A.P., Travis J.P. C537

AGN statistics of simultaneous radio and gamma-ray observations
Mücke A., Pohl M., Reich P., Reich W., Schlickeiser R., Kanbach G. C541

Long-term 0.03–1.8 MeV BATSE monitoring of Centaurus A
Wheaton Wm.A., Ling J.C., Mahoney W.A., Radocinski R.G., Skelton R.T., Wallyn P. C545

First Cycle 4 multiwavelength observations of the gamma-ray quasar PKS 0208–512
Stacy J.G., Vestrand W.T., Sreekumar P., Bonnell J., Kubo H., Hartman R.C. C549

The canonical X-ray/gamma-ray spectrum of Seyfert 1s and low-state Galactic black hole candidates
Zdziarski A.A., Gierliński M., Gondek D., Magdziarz P. C553

BATSE observations of Seyfert 2 galaxies
Bassani L., Malaguti G., Paciesas W.S., Palumbo G.G.C., Zhang S.N. C559

Acceleration mechanism in Blazar jets
Marcowith A., Pelletier G., Henri G. C563

Model for the gamma-ray emission from a relativistic electron-positron beam
Henri G., Marcowith A. C567

Production of gamma-rays by inverse Compton scattering in jets
Bednarek W., Kirk J.G., Mastichiadis A. C571

Pair annihilation radiation from relativistic jets in γ-ray blazars
Böttcher M., Schlickeiser R. C575

Propagation of relativistic jets through dense radiation fields in AGN
Sikora M., Sol H., Begelman M.C., Madejski G. C579

Non-stationary Poynting flux jet model of gamma-ray variability of blazars
Romanova M.M., Lovelace R.V.E. C583

A simple formula for the thermal pair annihilation line emissivity
Svensson R., Larsson S., Poutanen J. C587

Why radio-quiet quasars are radio quiet
Moderski R., Sikora M. C591

Search for an optical counterpart of the COMPTEL source GRO J1753+57
Carramiñana A., Guichard J., Much R., Williams O.R. C595

Probable detection of high-energy gamma-ray emission from OJ 287 during a major optical flare
Shrader C.R., Hartman R.C., Webb J.R. C599

Observations of gamma-ray sources at energies > 300 GeV
Weekes T.C., Akerlof C.W, Biller S., Bird D., Boyle P., Bussons J., Buckley J., Carter-Lewis D.A., Cawley M.F., Catanese M., Chantell M., Connaughton V., Fegan D.J., Finley J., Gaidos J., Hillas A.M., Lamb R.C., Krennrich F., Lessard R., McEnery J., Meyer D.I., Mohanty G., Quinn J., Rodgers A., Rose H.J., Sembroski G., Schubnell M.S., Wilson C., Zweerink J. C603

The extragalactic X-ray and gamma-ray background
Hasinger G. C607

EGRET observations of the high latitude diffuse radiation
Kniffen D.A., Bertsch D.L., Dingus B.L., Esposito J.A., Fichtel C.E., Hartman R.C., Hunter S.D., Kanbach G., Lin Y.C., Mayer-Hasselwander H.A., Merck M., Michelson P.F., von Montigny C., Mücke A., Mukherjee R., Nolan P.L., Pohl M., Schneid E., Sreekumar P., Thompson D.J., Willis T.D. C615

The preliminary cosmic diffuse γ-ray spectrum from 800 keV to 30 MeV measured with COMPTEL
Kappadath S.C., Ryan J., Bennett K., Bloemen H., Forrest D., Hermsen W., Kippen R.M., McConnell M., Schönfelder V., van Dijk R., Varendorff M., Weidenspointner G., Winkler C. C619

The diffuse extragalactic gamma-ray flux and its interpretation
Erlykin A.D., Osborne J.L., Wolfendale A.W., Zhang L. C623

Can flat spectrum radio quasars make most of the overall γ-ray background?
Comastri A., Di Girolamo T., Setti G. C627

The local neutron flux at low Earth-orbiting altitudes
Weidenspointner G., Bennett K., van Dijk R., Kappadath S.C., Lockwood J., Morris D., Ryan J., Schönfelder V., Varendorff M. C631

A search for radiative neutrino decay from supernovae
Miller R.S., Ryan J.M., Svoboda R.C. C635

INTEGRAL. The international gamma-ray astrophysics laboratory
Winkler C. C637

The high energy X-ray timing experiment on XTE
Gruber D.E., Blanco P.R., Heindl W.A., Pelling M.R., Rothschild R.E., Hink P.L. C641

Development of the hard X-ray detector for the ASTRO-E mission
Takahashi T., Ezawa H., Fukazawa Y., Hirayama M., Idesawa E., Ikeda H., Ishisaki Y., Iyomoto N., Kamae T., Kataoka J., Kaneda H., Kubo H., Makishima K., Matsushita K., Matsuzaki K., Mizuno T., Murakami T., Nagata K., Nakamae S., Nomachi M., Obayashi H., Ohtsuka T., Ozawa H., Saito Y., Sugizaki M., Tamura T., Tashiro M., Tsuchida N., Tsukada K., Yoshida A. C645

The LXeCAT instrument for gamma-ray astrophysics
Aprile E., Xu F., Zhou M., Doke T., Kikuchi J., Chupp E.L., Dunphy P.P., Fishman G., Pendleton G., Masuda K. C649

Gamma-ray observations with the Transient Gamma-Ray Spectrometer (TGRS)
Seifert H., Teegarden B.J., Cline T.L., Gehrels N., Hurley K.H., Madden N., Owens A., Palmer D.M., Pehl R., Ramaty R. C653

The University of Durham Mark 6 low energy threshold ground-based gamma-ray telescope
Chadwick P.M., Dickinson J.E., Dickinson M.R., Dipper N.A., Holder J., McComb T.J.L., Orford K.J., Rayner S.M., Roberts I.D., Roberts M.D., Tummey S.P., Turver K.E. C657

Tracking, imaging and polarimeter properties of the TIGRE instrument
O'Neill T.J., Akyüz A., Bhattacharya D., Case G.L., Dixon D., Samimi J., Tümer O.T., White R.S., Zych A.D. C661

A scintillating-fiber gamma-ray telescope
Torii S., Kasahara K., Nishimura J., Tamura T., Tateyama N., Yoshida K., Yamagami T., Murakami H., Kobayashi T., Yuda T. C665

Energetic protons induced radioactivity in space detectors
Ferrero J.L., Roldán C., Ballester F., Navarro E., Schutz Y., Martínez G., Cordier B., Leray J.P., Albernhe F., Borrel V. C669

Instrument concepts for high resolution γ-ray spectroscopy
Jean P., Naya J.E., Olive J.F., von Ballmoos P. C673

JPL earth occultation analysis package: Status and data products
Ling J.C., Wheaton Wm.A., Mahoney W.A., Skelton R.T., Radocinski R.G., Wallyn P. C677

Pixon-based deconvolution
Dixon D.D., Johnson W.N., Kurfess J.D., Piña R.K., Puetter R.C., Purcell W.R., Tümer T.O., Wheaton Wm.A., Zych A.D. C683

A model of the gamma-ray background on the BATSE experiment
Rubin B.C., Lei F., Fishman G.J., Finger M.H., Harmon B.A., Kouveliotou C., Paciesas W.S., Fendleton G.N., Wilson R.B., Zhang S.N. C687

The response of the CGRO COMPTEL determined from Monte Carlo simulation studies
Stacy J.G., Kippen R.M., Kappadath S.C., McConnell M., Morris D., Miller R., Connors A., Hersh B., Ryan J., Macri J., Simpson G., Schönfelder V., Steinle H., van Dijk R., Williams O.R. C691

Characteristics of COMPTEL as a polarimeter and its data analysis
Lei F., Hills G.L., Dean A.J., Swinyard B.M. C695

Application of a neural network simulation to the modelling of the COMPTEL background
Varendorff M., Forrest D., McConnell M., Ryan J. C699

The Crab total gamma-ray emission as seen by CGRO
Much R., Harmon B.A., Nolan P., Strickman M.S., Bennett K., Buccheri R., Diehl R., Fierro J.M., Fishman G.J., Grabelsky D.A., Grove J.E., Hermsen W., Johnson W.N., Jung G.V., Kinzer R.L., Kroeger R.A., Kuiper L., Kurfess J.D., Lichti G.G., Matz S.M., McConnell M., Paciesas W.S., Purcell W.R., Ryan J., Schönfelder V., Steinle H., Strong A., Thompson D.J., Ulmer M.P., Varendorff M., Wilson C.A., Wilson R.B. C703

GRB alert searches: Statistics and search strategy
Hudec R., Wenzel W. C707